

Unit 3, Christchurch Road Baglan Industrial Park Port Talbot SA12 7BZ, UK

Felicia B. Satchell
Director
Division of Standards and Labeling Regulations
Office of Nutritional Products, Labeling, and Dietary Supplements (HFS-820)
Center for Food Safety and Applied Nutrition
Food and Drug Administration
5100 Paint Branch Parkway
College Park, MD, 20740-3835

24th July 2002

Dear Felicia Satchell,

Re: Premarket Notification for a New Dietary Ingredient

Further to my telephone conversation with Rhonda Kane and Ms. Kane's subsequent email of July 18th 2002, I would like to submit the following amendments to Pharmax's Premarket Notification for Echium Oil.

I would like to confirm that the notification that was written on June 17th 2002 is a total replacement of the initial notification that was written on May 7th 2002.

- 1. The Latin Binomial name of the source plant of echium oil is *Echium plantagineum* L. The author responsible for the correct scientific classification of the botanical is Linnaeus.
- 2. I am withdrawing the certificates written in German (pages 2-8 of Appendix 6 submitted on June 17th 2002) from the notification. The enclosed appendix is a complete replacement of the Appendix submitted on June 17th 2002.
- 3. The enclosed appendix includes a legible translation of each certificate of analysis. I have also enclosed legible copies of the following three articles that were not legible in the notification submitted on June 17th 2002.

Alexander, JW (1998). Immunonutrition: The Role of w-3 Fatty Acids. *Nutrition* 14 (7/8): 627-633.

Culvenor CCJ (1956) The alkaloids of Echium plantagineum L. I. Echiumine and echim[†]dine *Australian Journal Chemical* **9** 512

Simopoulus AP (1991) Omega-3 fatty acids in health and disease and in growth and development *American Journal of Clinical Nutrition* **54** 438

I would like to clarify that each bottle of echium oil will contain 300ml of the echium oil.

My contact details are:

Telephone: Facsimile:

0044 1792 472110 0044 1792 472466

Email:

cathryn.cultech@btinternet.com



In compliance with Dietary Supplement Health and Education Act of 1994 and in accordance with 21 CFR 190.6, Pharmax LLC hereby makes amendments to its official Premarket Notification for a new dietary ingredient, Echium oil. Accordingly, please find five (5) copies of these amendments enclosed.

Please be advised as follows:

1. The name and address of the distributor of the dietary supplement that contains a new dietary ingredient:

Pharmax LLC 120th Avenue NE, Bellevue WA 980005

2. The name of the new dietary ingredient that is the subject of the premarket notification:

Echium plantagineum Seed Oil

Latin Binomial name of the source plant:

Echium plantagineum L.

Botanical author:

Linnaeus

- 3. A description of the dietary supplement or dietary supplements that contain the new dietary ingredient:
 - 1) Soft gel gelatine capsule 1000mg Echium oil.
 - 2) 300ml of liquid fatty acid nutritional supplement containing Echium Oil (in each bottle)
- i) the level of the new dietary ingredient is:
 - 1) 1000mg Echium oil per capsule
 - 2) 300ml of Echium oil per bottle
- ii) the conditions of use recommended or suggested in the labelling of the dietary supplement:

 Suggested Use:
 - 1) One (1) or two (2) capsules to be taken daily as a dietary supplement, preferably at mealtimes, or as directed by a healthcare provider.
 - 2) 5ml of oil to be taken per day
- 4. The history of use or other evidence of safety establishing that the dietary ingredient, when used under the conditions recommended or suggested in the labelling of the dietary supplement, will be reasonably be expected to be safe:

See Safety Evaluation of Echium Oil (Section 6 of Premarket Notification)

Please find evidence within the notification that establishes that the dietary ingredient, Echium Oil, will reasonably be expected to be safe when used under the conditions suggested on the label. This documentation includes Certificates of Analysis, Product Specification Sheets and a safety evaluation of Echium oil.



Please could you confirm receipt of this amendment via email or fax.

Thank you for your time and attention to this matter. If you have any questions or comments, please do not hesitate to contact the undersigned.

Yours sincerely,

Pharmax LLC

Cathryn E Wood Technical Scientist

cathryn.cultech@btinternet.com

Tel: +44 1792 472110 Fax: +44 1792 472466

Unit 3 Christchurch Road Baglan Industrial Park Port Talbot SA12 7BZ United Kingdom

6.9 References (legible copies)

Alexander, JW (1998). Immunonutrition: The Role of w-3 Fatty Acids. *Nutrition* **14** (7/8): 627-633.

Culvenor CCJ (1956) The alkaloids of Echium plantagineum L. I. Echiumine and echimidine *Australian Journal Chemical* **9** 512

Simopoulus AP (1991) Omega-3 fatty acids in health and disease and in growth and development *American Journal of Clinical Nutrition* **54** 438

Boraginaceae Echium plantagineum Linn. Mant. ii. 202.

Original Data

Notes: Reg. Mediterr

Back to Search Page

 $2\ {\rm records}$ found in the Index Nominum Genericorum database. Return to the search form. — View the help file.

[C] Echium Linnaeus, Sp. Pl. 139. 1 Mai 1753. LT.: E. Italicum Linnaeus (vide N. L. Britton et A. Brown, Ill. Fl. N.U.S. ed. 2. 3: 93. 7 Jun. 1913) PHAN.-BORAGINACEAE (59) 9 Feb 1996

Isoplesion Rafinesque, Fl. Tell. 4: 86. med. 1838 ('1836'). ≡ *Echium* Linnaeus 1753 PHAN.-BORAGINACEAE (59) 9 Feb 1996

NCU-3e. Names in current use for extant plant genera

Electronic version 1.0

Entry for Echium L.

- Citation: Echium L., Sp. Pl.: 139
- Date: 1 Mai 1753
- Type: E. italicum L.
- Group: DICOTYLEDONES: BORAGINACEAE

New query | About NCU Genera | About NCU | Contact editors

©1997 by International Association for Plant Faxonomy. This page last updated Sept 24, 1997.

Powered by Microsoft Backoffice



Missouri Botanical Garden - w³TROPICOS

Nomenclatural Data Base - 22 Jul 2002

Echium plantagineum L.

Family - BORAGINACEAE - Borage Family **Published in:**

Mantissa Plantarum 2: 202. 1771. {Mant. Pl. }

5 Synonym citation(s) for this name

13 Publication(s) citing this name

1 Homonymic or infraspecific name(s):

2 Chromosome count(s)

Link to NYBG specimen data base for this species

TROPICOS # 04001277



Go to Screen Version

Echium plantagineum L.

Taxonomic Serial No.: 31898

Taxonomy and Nomenclature

Kingdom: Taxonomic Rank: Plantae **Species**

Synonym(s). Common Name(s): Echium lycopsis L. p.p.

salvation jane

Taxonomic Status:

Current Standing Taxonomic Credibility accepted verified

Rating:

Taxonomic Hierarchy

Kingdom Subkingdom

Tracheobionta

Division

Magnoliophyta -- angiosperms, flowering plants Magnoliopsida -- dicotyledons

Class Subclass

Asteridae Lamiales

Order Family

Boraginaceae -- borage

Genus

Species

Echium L. -- echium, vipersbugloss Echium plantagineum L. -- salvation jane

References

Expert(s):

Expert

John Kartesz

Notes: Reference for: Biota of North America Project (BONAP)

Other Source(s):

Source:

Plants, Database (version 4.0.4)

Acquired.

Notes.

1996

Reference for:

Source: Acquired: Plants, database (version 5.1.1)

2000

Notes:

plants.usda.gov

Reference for

Publication(s):

Author(s)/Editor(s): Publication Date. Article/Chapter Title: Journal/Book Name, Vol.

No..

Page(s): Publisher Publication Place

ISBN/ISSN:

Notes:

Reference for

Geographic Information

Geographic Division:

North America

Jurisdiction/Origin:

Continental US, Introduced

Comments

Comment:

Date Gene Wed Jul 24 2002 05 01 0

Taxon: Echium plantagineum L.

Genus: Echium

Family: <u>Boraginaceae</u>. Nomen number: 14875.

Place of publication: Mant. pl. 2:202. 1771.

Name verified on: 02-May-1995 by Systematic Botany Laboratory. Last updated:

17-Oct-2001.

Species priority site is: Western Regional PI Station (W6). 2 accessions (by country).

Common names:

- blueweed (Source Noxweed Aust)
- Paterson's-curse (Source Econ Pl Aust)
- purple echium (Source Noxweed Aust)
- purple viper's-bugloss (Source | BritStace)
- purple-bugioss (Source Nonweed Aust)
- Riverina bluebell (Source Noxweed Aust)
- Salvation Jane (Source Noxweed Aust)
- viper's-bugloss (Source Novweed Aust)

Economic importance:

- Bee plants (fide CSIRO HEcPAus)
- Environmental: ornamental (fide <u>Dict Gard</u>, <u>F Pak</u>)
- Vertebrate poisons: mammals (fide Cooper & Johnson, as E lycopsis, Fverist, as E lycopsis, Kingsbury et al. 1964, as E lycopsis, Lampe & McCann, as E. lycopsis)
- Weed: potential seed contaminant (fide Noxweed Aust)

Distributional range:

Native:

- Africa: Algeria [n]; Egypt; Libya [n]; Morocco; Portugal Azores, Madeira Islands; Spain Canary Islands; Tunisia
- Asia-Temperate: Cyprus; Georgia; Israel; Jordan; Lebanon; Syria; Turkey
- Europe: Albania; Bulgaria; France [Incl Corsica]; Greece [Incl Crete]; Italy [Incl Sardinia. Sicily]; Portugal; Spain [Incl Baleares]; Ukraine Krym; United Kingdom; Yugoslavia

Other:

naturalized elsewhere

References:

- Ali, S. I. & S. M. H. Jafri, eds. 1976-. Flora of Libya. (F Libya)
- Bramwell, D. 1972. Lagascalia 2:64.
- **Cufodontis, G.** 1953-1972. Enumeratio plantarum aethiopiae: Spermatophyta. (F EthiopCuf)
- Davis, P. H., ed. 1965-1988. Flora of Turkey and the east Aegean islands. (F Turk)
- Encke, F. et al. 1984. Zander: Handwörterbuch der Pflanzennamen, ed. 13. (Zander ed13)
- Greuter, W. et al., eds. 1984-. Med-Checklist. (L Medit)
- Hansen, A. & P. Sunding. 1993. Flora of Macaronesia: checklist of vascular plants, ed. 4. Sommerfeltia vol. 17. (L Macar ed4)
- Holm, L. et al. 1979. A geographical atlas of world weeds. (Atlas WWeed)
- **Huxley, A., ed.** 1992. The new Royal Horticultural Society dictionary of gardening. (Dict Gard)
- International Seed Testing Association. 1988. International Seed Testing Association list of stabilized plant names. (ISTA)
- Komarov, V. L. et al., eds. 1934-1964. Flora SSSR. (F USSR)
- Lazarides, M. & B. Hince. 1993. CSIRO Handbook of Economic Plants of Australia. (Econ Pl Aust)
- Lems, K. 1960. Floristic botany of the Canary islands. (L Canar)
- Munz, P. A. & D. D. Keck. 1959. A California flora, (F CalifMunz)
- Nasir, E. & S. I. Ali, eds. 1970-. Flora of [West] Pakistan. (F Pak)
- Parsons, W. T. & E. G. Cuthbertson. 1992. Noxious weeds of Australia. (Noxweed Aust)
- Pignatti, S. 1982. Flora d'Italia. (F Ital)
- Quézel, P. & S. Santa. 1962-1963. Nouvelle flore de l'Algerie. (F Alger)
- Stace, C. 1995. New flora of the British Isles. (F BritStace)
- Täckholm, V. 1974. Students' flora of Egypt, ed. 2. (SF Egypt)
- Tutin, T. G. et al., eds. 1964-1980. Flora europaea. (F Eur)
- Wiersema, J. H. & B. León. 1999. World economic plants: a standard reference. (World Econ Pl)

Synonyms:

- Echium lycopsis auct.
- Echium violaceum auct.
 (previously associated with 1 accession)

Check other databases for Echium plantagineum:

• Flora Europaea: Database of European Plants (ESFEDS)

| USDA | ARS | GRIN | NPGS | New Search |

Cite as: USDA, ARS, National Genetic Resources Program. Germplasm Resources Information Network - (GRIN). [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland. Available: http://www.ars-grin.gov/var/apache/cgibin/npgs/html/tax_search.pl?echium+plantagineum (04 July 2002) Send your comments to: <u>Dr. J. H. Wiersema</u>. Return to the <u>Taxonomy Home Page</u>.

